

End Of Sale Product Marketing Bulletin – PMB-SPG10352 Rev C

Date: March 26, 2021 Business Segment: [☐ EMC ☐ DCS ☑ Printers ☐ Supplied ☐ Solutions ☐ Service	s Teleph	one: 859 372 4148 sunny.li@zebra.com
Urgency Level	Notice applies to regions:	Government:	Published for:
General Information	☐ North America☐ EMEA☐ Latin America☐ Asia Pacific	Federal North America State & Local	✓ Associates✓ Partners✓ Distributors
Description:	ZT410 & ZT420: End of Sale (EOS)	Announcement for	APAC region
Reason for Change:	PMB-SPG10352 Rev C: End of Sale ZT411 & ZT421	e of ZT410 & ZT420	and Transition to

1. Transition Overview

The ZT410, ZT420, ZT410R and ZT420R printers are being transitioned to the new ZT411, ZT421, ZT411R and ZT421R printers. All ZT411 and ZT421 models include a large color touch display, versatile connectivity options, Zebra's Print DNA software powered by Link-OS and are available in three print resolutions and two print widths for a wide variety of applications. Please see DN-AIT10267 for details on the ZT411 & ZT421 launch.

Please note the following regarding replacement SKUs:

- Configurations generally match those of the ZT410 and ZT420 SKUs; the equivalent SKU can typically be determined by changing the fifth digit of the current SKU from "0" to "1" to match the new SKU.
- Some ZT410 and ZT420 SKUs were discontinued for lack of demand. New SKU configurations can be considered if request meets minimum volume requirements - please consult product management (see contact information at the top of this notice).

Custom SKU configurations (ending in other than -0Z) and bundle part numbers beginning with DS which include custom printer SKUs will be given a minimum of six months additional sales to allow sufficient time to transition to the new ZT411 & ZT421 printers. Customers should begin the transition process as soon as possible by contacting the AIT Professional Services Group (CAG). In addition, it will be important to forecast through the Zebra sales team all ZT410 & ZT420 custom SKU demand beyond the channel (-0Z) SKU end of sale date as lead times may increase after that date.



2. Product and Kit Transition Timeline and Mapping Table

Product Transition Timeline*	Date
First RMA Request Date for Channel Returns	July 30, 2020
Last RMA Request Date for Channel Returns	October 1, 2020
Last Channel Return Date	November 30, 2020
Last Book Date	October 1, 2020
Last Ship Date	December 1, 2020
End of Service Date for Serviceable Products	December 1, 2025
Availability of ZT411/ZT421	January 31, 2020

^{*} Note: Any changes to above timeline will be communicated via a revised Distributor Notice (DN) and/or Product Marketing Bulleting (PMB).

APAC Region

Product Mapping Table		
Discontinued P/N	Description	Direct Replacement P/N
ZT41042-T070000Z	TT Printer ZT410; 4", 203 dpi, Taiwanese Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL	ZT41142-T070000Z
ZT41042-T0700C0Z	TT Printer ZT410; 4", 203 dpi, Taiwanese Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Rest of World (ROW), EZPL	ZT41142-T0700C0Z
ZT41042-T090000Z	TT Printer ZT410; 4", 203 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL	ZT41142-T090000Z
ZT41042-T0900C0Z	TT Printer ZT410; 4", 203 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Rest of World (ROW), EZPL	ZT41142-T0900C0Z
ZT41042-T091000Z	TT Printer ZT410; 4", 203 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Parallel Card, EZPL	N/A
ZT41042-T0G0000Z	TT Printer ZT410; 4", 203 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL	ZT41142-T0G0000Z
ZT41042-T0G00C0Z	TT Printer ZT410; 4", 203 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Rest of World (ROW), EZPL	ZT41142-T0G00C0Z
ZT41042-T0G1000Z	TT Printer ZT410; 4", 203 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Parallel Card, EZPL	ZT41142-T0G0000Z
ZT41042-T0GC000Z	TT Printer ZT410; 4", 203 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Wireless 802.11 a/b/g/n Card: Rest of World (ROW), EZPL	ZT41142-T0GC000Z



ZT41042-T0P0000Z	TT Printer ZT410; 4", 203 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL	ZT41142-T0P0000Z
ZT41042-T0P00B0Z	TT Printer ZT410; 4", 203 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Japan, EZPL	ZT41142-T0P00B0Z
ZT41042-T0P00C0Z	TT Printer ZT410; 4", 203 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Rest of World (ROW), EZPL	ZT41142-T0P00C0Z
ZT41042-T0P1000Z	TT Printer ZT410; 4", 203 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Parallel Card, EZPL	ZT41142-T0P0000Z
ZT41042-T0PB000Z	TT Printer ZT410; 4", 203 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Wireless 802.11 a/b/g/n Card: Japan, EZPL	N/A
ZT41042-T0PC000Z	TT Printer ZT410; 4", 203 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Wireless 802.11 a/b/g/n Card: Rest of World (ROW), EZPL	ZT41142-T0PC000Z
ZT41042-T190000Z	TT Printer ZT410; 4", 203 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel, EZPL	N/A
ZT41042-T1G0000Z	TT Printer ZT410; 4", 203 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel, EZPL	N/A
ZT41042-T1P0000Z	TT Printer ZT410; 4", 203 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel, EZPL	ZT41142-T1P0000Z
ZT41042-T270000Z	TT Printer ZT410; 4", 203 dpi, Taiwanese Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Cutter w/ Catch Tray, EZPL	ZT41142-T270000Z
ZT41042-T290000Z	TT Printer ZT410; 4", 203 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Cutter w/ Catch Tray, EZPL	ZT41142-T290000Z
ZT41042-T2G0000Z	TT Printer ZT410; 4", 203 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Cutter w/ Catch Tray, EZPL	ZT41142-T2G0000Z
ZT41042-T2GC000Z	TT Printer ZT410; 4", 203 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Wireless 802.11 a/b/g/n Card: Rest of World (ROW), Cutter w/ Catch Tray, EZPL	ZT41142-T2GC000Z
ZT41042-T2P0000Z	TT Printer ZT410; 4", 203 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Cutter w/ Catch Tray, EZPL	ZT41142-T2P0000Z
	TT Printer ZT410; 4", 203 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Wireless 802.11 a/b/g/n Card: Japan, Cutter w/ Catch Tray, EZPL	ZT41142-T2PB000Z
ZT41042-T370000Z	TT Printer ZT410; 4", 203 dpi, Taiwanese Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Liner Take-Up, EZPL	ZT41142-T370000Z
ZT41042-T390000Z	TT Printer ZT410; 4", 203 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Liner Take-Up, EZPL	ZT41142-T390000Z
ZT41042-T3G0000Z	TT Printer ZT410; 4", 203 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Liner Take-Up, EZPL	ZT41142-T3G0000Z
ZT41042-T3P0000Z	TT Printer ZT410; 4", 203 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Liner Take-Up, EZPL	ZT41142-T3P0000Z
ZT41042-T470000Z	TT Printer ZT410; 4", 203 dpi, Taiwanese Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Full Rewind, EZPL	ZT41142-T470000Z
ZT41042-T490000Z	TT Printer ZT410; 4", 203 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Full Rewind, EZPL	ZT41142-T490000Z
ZT41042-T4G0000Z	TT Printer ZT410; 4", 203 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Full Rewind, EZPL	ZT41142-T4G0000Z



ZT41042-T4G00C0Z	TT Printer ZT410; 4", 203 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Full Rewind, RFID UHF Encoder: Rest of World (ROW), EZPL	N/A
ZT41042-T4P0000Z	TT Printer ZT410; 4", 203 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Full Rewind, EZPL	ZT41142-T4P0000Z
ZT41043-T070000Z	TT Printer ZT410; 4", 300 dpi, Taiwanese Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL	ZT41143-T070000Z
ZT41043-T0700C0Z	TT Printer ZT410; 4", 300 dpi, Taiwanese Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Rest of World (ROW), EZPL	ZT41143-T0700C0Z
ZT41043-T090000Z	TT Printer ZT410; 4", 300 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL	ZT41143-T090000Z
ZT41043-T0900C0Z	TT Printer ZT410; 4", 300 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Rest of World (ROW), EZPL	ZT41143-T0900C0Z
ZT41043-T091000Z	TT Printer ZT410; 4", 300 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Parallel Card, EZPL	N/A
ZT41043-T09C000Z	TT Printer ZT410; 4", 300 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Wireless 802.11 a/b/g/n Card: Rest of World (ROW), EZPL	ZT41143-T09C000Z
ZT41043-T0G0000Z	TT Printer ZT410; 4", 300 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL	ZT41143-T0G0000Z
ZT41043-T0G00C0Z	TT Printer ZT410; 4", 300 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Rest of World (ROW), EZPL	ZT41143-T0G00C0Z
ZT41043-T0G1000Z	TT Printer ZT410; 4", 300 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Parallel Card, EZPL	ZT41143-T0G0000Z
ZT41043-T0GC000Z	TT Printer ZT410; 4", 300 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Wireless 802.11 a/b/g/n Card: Rest of World (ROW), EZPL	ZT41143-T0GC000Z
ZT41043-T0P0000Z	TT Printer ZT410; 4", 300 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL	ZT41143-T0P0000Z
ZT41043-T0P00B0Z	TT Printer ZT410; 4", 300 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Japan, EZPL	ZT41143-T0P00B0Z
ZT41043-T0P00C0Z	TT Printer ZT410; 4", 300 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Rest of World (ROW), EZPL	ZT41143-T0P00C0Z
ZT41043-T0PB000Z	TT Printer ZT410; 4", 300 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Wireless 802.11 a/b/g/n Card: Japan, EZPL	ZT41143-T0PB000Z
ZT41043-T0PC000Z	TT Printer ZT410; 4", 300 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Wireless 802.11 a/b/g/n Card: Rest of World (ROW), EZPL	ZT41143-T0PC000Z
ZT41043-T1G0000Z	TT Printer ZT410; 4", 300 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel, EZPL	ZT41143-T1G0000Z
ZT41043-T270000Z	TT Printer ZT410; 4", 300 dpi, Taiwanese Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Cutter w/ Catch Tray, EZPL	ZT41143-T270000Z
ZT41043-T290000Z	TT Printer ZT410; 4", 300 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Cutter w/ Catch Tray, EZPL	ZT41143-T290000Z



ZT41043-T2900C0Z	TT Printer ZT410; 4", 300 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Cutter w/ Catch Tray, RFID UHF Encoder: Rest of World (ROW), EZPL	ZT41143-T2900C0Z
ZT41043-T2E0000Z	TT Printer ZT410; 4", 300 dpi, Euro and UK cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Cutter w/ Catch Tray, EZPL	ZT41143-T2E0000Z
ZT41043-T2G0000Z	TT Printer ZT410; 4", 300 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Cutter w/ Catch Tray, EZPL	ZT41143-T2G0000Z
ZT41043-T2GC000Z	TT Printer ZT410; 4", 300 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Wireless 802.11 a/b/g/n Card: Rest of World (ROW), Cutter w/ Catch Tray, EZPL	N/A
ZT41043-T2P0000Z	TT Printer ZT410; 4", 300 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Cutter w/ Catch Tray, EZPL	ZT41143-T2P0000Z
ZT41043-T2P00C0Z	TT Printer ZT410; 4", 300 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Cutter w/ Catch Tray, RFID UHF Encoder: Rest of World (ROW), EZPL	N/A
ZT41043-T2PC000Z	TT Printer ZT410; 4", 300 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Wireless 802.11 a/b/g/n Card: Rest of World (ROW), Cutter w/ Catch Tray, EZPL	ZT41143-T2PC000Z
ZT41043-T370000Z	TT Printer ZT410; 4", 300 dpi, Taiwanese Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Liner Take-Up, EZPL	ZT41143-T370000Z
ZT41043-T371000Z	TT Printer ZT410; 4", 300 dpi, Taiwanese Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Parallel Card, Peel w/ Liner Take-Up, EZPL	N/A
ZT41043-T390000Z	TT Printer ZT410; 4", 300 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Liner Take-Up, EZPL	ZT41143-T390000Z
ZT41043-T3G0000Z	TT Printer ZT410; 4", 300 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Liner Take-Up, EZPL	ZT41143-T3G0000Z
ZT41043-T3GC000Z	TT Printer ZT410; 4", 300 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Wireless 802.11 a/b/g/n Card: Rest of World (ROW), Peel w/ Liner Take-Up, EZPL	N/A
ZT41043-T3P0000Z	TT Printer ZT410; 4", 300 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Liner Take-Up, EZPL	ZT41143-T3P0000Z
ZT41043-T470000Z	TT Printer ZT410; 4", 300 dpi, Taiwanese Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Full Rewind, EZPL	ZT41143-T470000Z
ZT41043-T490000Z	TT Printer ZT410; 4", 300 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Full Rewind, EZPL	ZT41143-T490000Z
ZT41043-T4G0000Z	TT Printer ZT410; 4", 300 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Full Rewind, EZPL	ZT41143-T4G0000Z
ZT41043-T4G00C0Z	TT Printer ZT410; 4", 300 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Full Rewind, RFID UHF Encoder: Rest of World (ROW), EZPL	N/A
ZT41043-T4P0000Z	TT Printer ZT410; 4", 300 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Full Rewind, EZPL	ZT41143-T4P0000Z
ZT41046-T070000Z	TT Printer ZT410; 4", 600 dpi, Taiwanese Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL	ZT41146-T070000Z
ZT41046-T0700C0Z	TT Printer ZT410; 4", 600 dpi, Taiwanese Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Rest of World (ROW), EZPL	ZT41146-T0700C0Z
ZT41046-T090000Z	TT Printer ZT410; 4", 600 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL	ZT41146-T090000Z



ZT41046-T0900C0Z	TT Printer ZT410; 4", 600 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Rest of World (ROW), EZPL	ZT41146-T0900C0Z
ZT41046-T0G0000Z	TT Printer ZT410; 4", 600 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL	ZT41146-T0G0000Z
ZT41046-T0P0000Z	TT Printer ZT410; 4", 600 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL	ZT41146-T0P0000Z
ZT41046-T0P00B0Z	TT Printer ZT410; 4", 600 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Japan, EZPL	N/A
ZT41046-T0P00C0Z	TT Printer ZT410; 4", 600 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Rest of World (ROW), EZPL	ZT41146-T0P00C0Z
ZT41046-T2G0000Z	TT Printer ZT410; 4", 600 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Cutter w/ Catch Tray, EZPL	ZT41146-T2G0000Z
ZT41046-T2P0000Z	TT Printer ZT410; 4", 600 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Cutter w/ Catch Tray, EZPL	ZT41146-T2P0000Z
ZT41046-T3G0000Z	TT Printer ZT410; 4", 600 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Liner Take-Up, EZPL	ZT41146-T3G0000Z
ZT41046-T490000Z	TT Printer ZT410; 4", 600 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Full Rewind, EZPL	ZT41146-T490000Z
ZT41046-T4G0000Z	TT Printer ZT410; 4", 600 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Full Rewind, EZPL	ZT41146-T4G0000Z
ZT41046-T4P0000Z	TT Printer ZT410; 4", 600 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Full Rewind, EZPL	ZT41146-T4P0000Z
ZT410A2-T090000Z	TT Printer ZT410; 4", 203 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL, Color	ZT41142-T090000Z
ZT410A2-T09F000Z	TT Printer ZT410; 4", 203 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, and ZebraNet Internal Wireless 802.11ac with Bluetooth 4.0, Rest of World, EZPL, Color	ZT41142-T09C000Z
ZT410A2-T0P0000Z	TT Printer ZT410; 4", 203 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL,Color	ZT41142-T0P0000Z
ZT410A2-T0PF000Z	TT Printer ZT410; 4", 203 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, and ZebraNet Internal Wireless 802.11ac with Bluetooth 4.0, Rest of World, EZPL, Color	ZT41142-T0PC000Z
ZT42062-T010000Z	TT Printer ZT420; 6", 203 dpi, US Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL	ZT42162-T010000Z
ZT42062-T070000Z	TT Printer ZT420; 6", 203 dpi, Taiwanese Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL	ZT42162-T070000Z
ZT42062-T0700C0Z	TT Printer ZT420; 6", 203 dpi, Taiwanese Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Rest of World (ROW), EZPL	N/A
ZT42062-T090000Z	TT Printer ZT420; 6", 203 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL	ZT42162-T090000Z
ZT42062-T0900C0Z	TT Printer ZT420; 6", 203 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Rest of World (ROW), EZPL	ZT42162-T0900C0Z
ZT42062-T0G0000Z	TT Printer ZT420; 6", 203 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL	ZT42162-T0G0000Z
ZT42062-T0G00C0Z	TT Printer ZT420; 6", 203 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Rest of World (ROW), EZPL	N/A



ZT42062-T0GC000Z	TT Printer ZT420; 6", 203 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Wireless 802.11 a/b/g/n Card: Rest of World (ROW), EZPL	ZT42162-T0GC000Z
ZT42062-T0P0000Z	TT Printer ZT420; 6", 203 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL	ZT42162-T0P0000Z
ZT42062-T0P00B0Z	TT Printer ZT420; 6", 203 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Japan, EZPL	N/A
ZT42062-T0P00C0Z	TT Printer ZT420; 6", 203 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Rest of World (ROW), EZPL	N/A
ZT42062-T0PC000Z	TT Printer ZT420; 6", 203 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Wireless 802.11 a/b/g/n Card: Rest of World (ROW), EZPL	N/A
ZT42062-T2G0000Z	TT Printer ZT420; 6", 203 dpi, India Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Cutter w/ Catch Tray, EZPL	ZT42162-T2G0000Z
ZT42062-T2P0000Z	TT Printer ZT420; 6", 203 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Cutter w/ Catch Tray, EZPL	ZT42162-T2P0000Z
ZT42062-T470000Z	TT Printer ZT420; 6", 203 dpi, Taiwanese Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Full Rewind, EZPL	ZT42162-T470000Z
ZT42062-T490000Z	TT Printer ZT420; 6", 203 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Full Rewind, EZPL	ZT42162-T490000Z
ZT42062-T4G0000Z	TT Printer ZT420; 6", 203 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Full Rewind, EZPL	ZT42162-T4G0000Z
ZT42062-T4P0000Z	TT Printer ZT420; 6", 203 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Full Rewind, EZPL	ZT42162-T4P0000Z
ZT42063-T070000Z	TT Printer ZT420; 6", 300 dpi, Taiwanese Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL	ZT42163-T070000Z
ZT42063-T0700C0Z	TT Printer ZT420; 6", 300 dpi, Taiwanese Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Rest of World (ROW), EZPL	N/A
ZT42063-T090000Z	TT Printer ZT420; 6", 300 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL	ZT42163-T090000Z
	TT Printer ZT420; 6", 300 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Rest of World (ROW), EZPL	N/A
ZT42063-T091000Z	TT Printer ZT420; 6", 300 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Parallel Card, EZPL	N/A
ZT42063-T0G0000Z	TT Printer ZT420; 6", 300 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL	ZT42163-T0G0000Z
ZT42063-T0G00C0Z	TT Printer ZT420; 6", 300 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Rest of World (ROW), EZPL	ZT42163-T0G00C0Z
ZT42063-T0P0000Z	TT Printer ZT420; 6", 300 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL	ZT42163-T0P0000Z
ZT42063-T0P00B0Z	TT Printer ZT420; 6", 300 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Japan, EZPL	ZT42163-T0P00B0Z
ZT42063-T0P00C0Z	TT Printer ZT420; 6", 300 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, RFID UHF Encoder: Rest of World (ROW), EZPL	ZT42163-T0P00C0Z



ZT42063-T0PB000Z	TT Printer ZT420; 6", 300 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Wireless 802.11 a/b/g/n Card: Japan, EZPL	N/A
ZT42063-T0PC000Z	TT Printer ZT420; 6", 300 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Wireless 802.11 a/b/g/n Card: Rest of World (ROW), EZPL	N/A
ZT42063-T170000Z	TT Printer ZT420; 6", 300 dpi, Taiwanese Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel, EZPL	ZT42163-T170000Z
ZT42063-T290000Z	TT Printer ZT420; 6", 300 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Cutter w/ Catch Tray, EZPL	ZT42163-T290000Z
ZT42063-T2G0000Z	TT Printer ZT420; 6", 300 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Cutter w/ Catch Tray, EZPL	ZT42163-T2G0000Z
ZT42063-T2P0000Z	TT Printer ZT420; 6", 300 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Cutter w/ Catch Tray, EZPL	ZT42163-T2P0000Z
ZT42063-T490000Z	TT Printer ZT420; 6", 300 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Full Rewind, EZPL	ZT42163-T490000Z
ZT42063-T49C000Z	TT Printer ZT420; 6", 300 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Wireless 802.11 a/b/g/n Card: Rest of World (ROW), Peel w/ Full Rewind, EZPL	N/A
ZT42063-T4G0000Z	TT Printer ZT420; 6", 300 dpi, India Cord, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Full Rewind, EZPL	ZT42163-T4G0000Z
ZT42063-T4P0000Z	TT Printer ZT420; 6", 300 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, Peel w/ Full Rewind, EZPL	ZT42163-T4P0000Z
ZT420A2-T090000Z	TT Printer ZT420; 6", 203 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL, Color	ZT42162-T090000Z
ZT420A2-T09F000Z	TT Printer ZT420; 6", 203 dpi, Chinese Cord (w/ SimSun Font), Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, and ZebraNet Internal Wireless 802.11ac with Bluetooth 4.0, Rest of World, EZPL, Color	ZT42162-T09C000Z
ZT420A2-T0P0000Z	TT Printer ZT420; 6", 203 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, EZPL, Color	ZT42162-T0P0000Z
ZT420A2-T0PF000Z	TT Printer ZT420; 6", 203 dpi, UK/AU/JP/EU Cords, Serial, USB, 10/100 Ethernet, Bluetooth 2.1/MFi, USB Host, and ZebraNet Internal Wireless 802.11ac with Bluetooth 4.0, Rest of World, EZPL, Color	ZT42162-T0PC000Z

3. Accessories and Peripherals: Transition Timeline and Mapping Table

All ZT410 & ZT420 options, accessories and media handling parts will be compatible with ZT411 & ZT421 printers with the exceptions of: The 802.11n WLAN Option Card and the aftermarket Peel Assembly Kit. The ZT411 and ZT421 will operate with the 802.11ac WLAN Option Card only. Also, the ZT411 & ZT421 have a new aftermarket Peel Assembly Kit which includes sensors in the kit which are required for the ZT411 & ZT421. The Peel Assembly Kit is used to upgrade in the field when not ordered from the factory or for maintenance.



4a. Service and Support: Hardware End of Service Life Policy

Zebra Technologies Corporation and its affiliates ("Zebra") will provide service and support for products manufactured/ sold by Zebra for a period of 3, 4, or 5 years, commencing on the last day of the product's final shipment.

Zebra will make reasonable, commercial efforts to continue to repair and support products beyond the fiveyear period at Zebra's option:

- To meet contract commitments
- Where a significant commercial requirement is identified
- Where Zebra determines in its sole and absolute discretion that there is sufficient commercial reason to warrant continuance of repair and support

Should technology used in the product become discontinued, obsolete, or no longer available in the public domain, making parts or assemblies no longer available for these reasons, Zebra at its discretion will evaluate the impact and if significant, consider the feasibility and economics of a design change to enable continued repair.

The End of Service Life Period may be changed at Zebra's sole and absolute discretion.

Customers who wish to purchase a Zebra Services Contract can do so through the normal channels that they currently use to purchase Zebra products and services.

For more information:

- Zebra employees: Visit Zebra Services home page
- Partners: Visit the Products, Services & Supplies tab of Partner Gateway

4b. Service and Support: Software End of Service Life Policy

For software applications that have been announced End of Sale (EOS), conclusion of support for these products follows a defined timeline beginning from the product End of Sale announcement (the "EOS Announcement"). For customers with products covered by a Zebra services agreement (the "Support Contract") at the time of the EOS Announcement, the software maintenance portion of its Support Contract, as defined in the Service Description Document applicable to the product EOS (the "Software Maintenance"), will continue for up to twelve (12) months from the EOS Announcement date. Zebra reserves the right, at its sole and absolute discretion, to end such Software Maintenance earlier than this date should conditions warrant.

For customers with products covered by a Support Contract at the time of the EOS Announcement, Technical Support, defined as telephone and e-mail support through Zebra's Customer Support Center, continues through the completion of the customer's software Support Contract, regardless of the availability of Software Maintenance on the EOS software product.



Customers with products covered by a Support Contract that are not using the most current release of the applicable software product on the EOS Announcement date may update to the most current release after the EOS Announcement, subject to this Statement and the terms of the Service Description Document applicable to customer's Support Contract.

As of the software product EOS Announcement date, multi-year Support Contracts for that product will no longer be available from Zebra. New customers may purchase multi-year contracts up to and including the EOS effective date. Any request for a multi-year software Support Contract for an existing customer must be approved by Zebra Services and the applicable Zebra product group(s).

As of the EOS Announcement date, only annual Support Contracts and one-year renewal Support Contracts will be available without a special approval, as indicated above. Availability of Software Maintenance will be as described above. Technical Support, as described above, will continue up until the conclusion of the customer's Support Contract.

5. Frequently Asked Questions

1. What are the differences between the new ZT411 and ZT421 printers compared to the current ZT410 and ZT420 printers?

The new ZT411 and ZT421 printers have many new standard features, including support for the latest Link-OS architecture, a color touch user interface, printhead element out detection, Bluetooth 4.1, dual adjustable transmissive and reflective sensors, dual USB host ports, and applicator card compatibility. Please refer to the Technical Specifications for all changes.

- **2.** Will the ZT411 and ZT421 function as drop-in replacements for the ZT410 and ZT420 printers? Yes! While the ZT411 and ZT421 printers have many new features, they will function as drop-in replacements for the ZT410 and ZT420 printers, respectively.
- 3. Will all options from the ZT410 and ZT420 be compatible with the ZT411 and ZT421 printers? All ZT410 & ZT420 options, accessories and media handling parts will be compatible with ZT411 & ZT421 printers with the exceptions of: The 802.11n WLAN Option Card and the aftermarket Peel Assembly Kit. The ZT411 and ZT421 will operate with the 802.11ac WLAN Option Card only. Also, the ZT411 & ZT421 have a new aftermarket Peel Assembly Kit which includes sensors in the kit which are required for the ZT411 & ZT421. The Peel Assembly Kit is used to upgrade in the field when not ordered from the factory or for maintenance.
- 4. Are there any new options and accessories for the ZT411 and ZT421 printers?

Yes. The ZT411 and ZT421 will use the 802.11ac WLAN Option Card (see FAQ #3). In addition, the new printers will also support the use of the Applicator Option Card, which will operate in the same manner as it does with Zebra's other compatible industrial printers. Also, the ZT411 & ZT421 have a new aftermarket Peel Assembly Kit which includes sensors in the kit which are required for the ZT411 & ZT421. Finally, a protective adhesive film is available for the display and keypad to afford additional protection in harsh environments.

End of Life Timeline Definitions:



First RMA Request Date: First date distributors & partners can request RMA for return of EOL product. **Last RMA Request Date:** Last date distributors & partners can request RMA for return of EOL product.

Last Channel Return Date: Last date physical product returns will be accepted (30 days after approval of RMA).

Last Book Date: Last date purchase orders will be accepted for product and/or bundles, kits or system packs containing the product.

Last Ship Date: Latest date for which a customer can request product delivery.

End of Engineering Support: Date when bug fixes, design revisions, and integration with other components, products or solutions will no longer be performed.

End of Service Life Date: Last date technical support and repair services are available.

Warranty: See Zebra Warranty at https://www.zebra.com/us/en/support-downloads/warranty/product-warranty.html

The information contained or referenced in this PMB is derived from a variety of sources and may not be accurate, complete, or up to date. The information is provided "as is." ZEBRA SHALL NOT BE LIABLE FOR TECHNICAL OR EDITORIAL ERRORS OR OMISSIONS, NOR FOR ANY DAMAGES RESULTING FROM THE USE OF INFORMATION CONTAINED IN THIS PMB. ZEBRA MAKES NO REPRESENTATIONS ABOUT THE SUITABILITY OF ANY PRODUCTS, SERVICES OR INFORMATION CONTAINED IN OR REFERRED TO IN THIS PMB, FOR ANY PURPOSE. ZEBRA ASSUMES NO RESPONSIBILITY FOR AND DISCLAIMS ALL LIABILITY FOR ANY ERRORS OR OMISSIONS, WARRANTIES AND CONDITIONS WITH REGARD TO THIS PMB AND/OR THE INFORMATION CONTAINED HEREIN INCLUDING ALL IMPLIED WARRANTIES AND CONDITIONS OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF CERTAIN WARRANTIES, SO THE ABOVE EXCLUSION MAY NOT APPLY TO YOU.

The information contained in this PMB regarding product compliance with the Trade Agreements Act ("TAA"), or any Federal regulation, law, rule or standard, is provided for informational purposes only and does not constitute a legally binding representation that such product complies therewith. Information contained in this PMB (including the Product Specifications) is subject to change with or without prior notice. In no event shall Zebra be held directly or indirectly liable for any damage or loss caused or alleged to have been caused by or in connection with the use of, or reliance upon, the information found in this PMB. To confirm whether any particular Zebra product is compliant with any Federal regulation, law, rule or standard, please contact FederalProductQuestions@zebra.com

IN NO EVENT SHALL ZEBRA BE LIABLE FOR ANY SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES WHATSOEVER, RESULTING FROM LOSS OF USE, DATA OR PROFITS, EITHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF INFORMATION AVAILABLE FROM THIS PMB.

©2020 ZIH Corp and/or its Affiliates. All rights reserved. Zebra and the stylized Zebra head are trademarks of ZIH Corp., registered in many jurisdictions worldwide. All other trademarks are the property of their respective owners.